FlashFREEZE

The science of flash freezing for standardized biobanking



Need good results? Start with good preparation

THE PROBLEM

There are few resources as valuable to cancer researchers as tissue samples - the biospecimens that patients donate to aid in the search for cancer-related biomarkers. Harvesting and storing human tissue for research purposes is not new. Human biospecimens have been collected and stored for 100 years, and today, in excess of 300 million biospecimens are warehoused in freezers or stored in other formats such as paraffin-embedded tissue blocks ⁽¹⁾. However, over the past decade or so it has become clear that the great majority of biospecimens stored in the world's biorepositories may not be suited for the state-of-the-art genomics, proteomics, metabolomics, and other bioanalytical technologies used today to search for cancerrelated biomarkers. The irreproducibility of many reported biomarkers is due at least in part to the fact that the biospecimens utilized are often procured using different collection, processing and storage techniques.* Such variability can lead to significant differences in biospecimen molecular integrity.



FlashFREEZE - Benchtop flash freezing station

THE SOLUTION

To overcome some of these difficulties Milestone has developed the FlashFREEZE unit to standardize the flash freezing processing step of biospecimen.

With FlashFREEZE it is now possible to run evidence-based biospecimens freezing protocols with the full documentation needed for QA purposes. FlashFREEZE combines the advantages of a state-of-the-art Stirling cooler, capable of reaching temperature down to -80°C, with the outstanding environmental and safety features of the new 3M[™] Novec[™] 7000 engineered fluid (methylperfluoropropylether cas. 375-03-1).

Novec[™] 7000 is a non flammable, non toxic, low global warning potential (GWP) transfer fluid. The FlashFREEZE eliminates need for liquid nitrogen and for the toxic and flammable isopentane.



⁽¹⁾ Eiseman E, Haga S. A Handbook of Human Tissue Sources. Santa Monica, CA: RAND Corporation; 2000.

* International Approaches to Advancing Biospecimen Science. Helen M. More et all. Cancer Epidemiol Biomarkers Prev. May 2011; 20(5): 729-732

FlashFREEZE. The first step towards standardized and safe flash freezing



Touch screen terminal (4.3") USB port for full documentation Cool trap for defrost step

2 holders for 12 cryo vials

Freezing fluid at -80°C

Vessel with PFTE liner



This is flash freezing the way it should be

NO LIQUID NITROGEN NO ISOPENTANE PRESET FREEZING TIME FULL DOWNLOADABLE DOCUMENTATION

Simple. Intuitive operation makes everyone an expert



Open the properly identified cryovial.



Place the biospecimen inside.



Close the cryovial.



Place the cryovial in the freezing fluid.



5 Place the special tool over the cryovial...



6 ... to avoid floating.



7 Close cover and start timer.



After time is expired open cover and extract the cryovial with the frozen specimen.



9 The cryovial can now be placed in the holder for storage.

What sets us apart?

THE UNIQUE COMBINATION OF A NON TOXIC, NON FLAMMABLE TRANSFER FLUID WITH A STATE-OF-THE-ART, RAPID STIRLING COOLING DEVICE AT -80°C

The advantages of the 3M Novec 7000* Engineered Fluid

(methylperfluoropropylether - cas. 375-03-1)

- Non-flammable
- Low in toxicity
- HAPs-free (Hazardous Air Polluant)
- Zero ozone depletion potential
- Low global warning potential
- U.S. EPA SNAP-approved

Typical physical properties	3M Novec ™7000	Isopentane
Boiling Point@ 1 atmosphere	34°C	28°C estimated
Freeze Point	-122.5°C	No data avaiable
Flash Point estimated	No Flash point detected	-51°C
Flammability Limit	None detected	Fire Hazard 4

Toxicological test results	3M Novec ™7000	Isopentane
Tox: 8 hr exposure guideline	75 ppmv	600 ppmv
Eye Irritation	No significant irritation	Irritant
Skin Irritation	No significant irritation	Irritant
Mutagenicity	Not mutagenic	Unknown

^{*} 3M and Novec are trademarks of 3M,

FlashFREEZE has been designed, tested and manufactured to be operated without the use of isopentane or similar extremely flammable fluids.

Defrost feature

To eliminate potential formation of ice on the freezing platform, a manual defrost cycle is provided. It consists of a heater embedded in the freezing platform and a vacuum pump to extract water vapors from the chamber.

Vapors are condensed and collected in a cold-trap placed in the front of the unit for easy handling. A HEPA filter is provided on the exhaust side of the pump. Integrated software can set the defrost cycle to take place during off hours and restart the cooling cycle at a preset time to ensure availability for the first case of the day.



The FlashFREEZE unique features

HIGH FLEXIBILITY

• Standardized freezing at -80°C for all types of tissues.

FAST

- Only 1 hour 40 minutes from room temperature to operating temperature of -80°C.
- Biospecimens can be frozen in only 60-120 seconds.

SAFE

- No liquid nitrogen, no isopentane.
- HEPA cap filter.

ENVIRONMENTAL FRIENDLY

- Advanced Stirling Cooler technology uses Helium gas as a refrigerant in a sealed stainless steel chamber. No standard compressor, therefore no CFC (Chlorofluorocarbon).
- Non flammable, non irritating, low toxicity freezing fluid.

FULL DOCUMENTATION

• USB port enables both updating of software and downloading of event logs.

SPACE SAVING

Small footprint accommodates space restricted lab environments.

Technical specifications

- Stirling Cooler freezing module
- Anodized aluminium freezing platform
- 4.3" touch screen terminal. 1 USB port
- Dimensions: h 45cm/17,7" (with cover open 73cm/28,7") w 30cm/11,8" d 54cm/21,3"
- Weight: 22Kg 48.5lbs
- Power supply: 230V~ 50/60Hz or 115V~ 60Hz (250W)

H E L P I N G P A T I E N T S

MILESTONE Srl - Via Fatebenefratelli, 1/5 - 24010 Sorisole (BG) - Italy Tel: +39 035 4128264 - Fax: +39 035 575498 www.milestonemedsrl.com - email: medical@milestonesrl.com

UNI EN ISO 9001: 2008 / UNI EN ISO 13485:2012 CERTIFIED

MILESTONE MEDICAL TECHNOLOGIES, INC. 6475 Technology Avenue, Suite F, Kalamazoo, MI 49009 - USA Tel: 269-488-4950 - Toll-free: 866-995-5300 - Fax: 269-488-4949 www.milestonemed.com - email: info@milestonemed.com

In your country: